

CONTRACT C WORKSHEET

PRON M1192487M1                      AMC 1                      AMSC G                      ATC LAC5N

TDP 12266671                                      TDPL DATE 07/10/01

NSN 5998010579039              NOMENCLATURE CIRCUIT CARD ASSEMB

ENGINEERING EXCEPTIONS: The following engineering changes apply to this  
procurement action(s):

LEVEL (A) PACKAGING SHALL BE IN ACCORDANCE WITH METHOD (41)  
OF MIL-STD-2073-1 UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

DRAWING 12266672              THERE IS NO SABLE BASE MASTER, THE MASTER PATTERN IS  
DDRAWING 12266672.

NOTE 1: CHANGE MIL-P-13949 TO IPC 4101

NOTE 2: DELETE REFERENCE TO ALPHA METALS "PROTECTO COAT"  
THE NUMBER AND ADDRESS OF ALPHA METALS AND  
SUBSTITUTE MIL-C-47175

NOTE 3: CHANGE MIL-P-55110 TO MIL-PRF-55110

DRAWING 12266671

NOTE 1: CHANGE TO: "SOLDER IN ACCORDANCE WITH BEST  
COMMERICAL PRACTICE TO ENSURE  
COMPLIANCE WITH DRAWING OR  
SPECIFICATION REQUIREMENTS AS  
APPLICABLE"

NOTE 7: CHANGE TO MIL-STD-100

NOTE 5: CHANGE MIL-STD-275 TO IPC-D-275 ( SEE IPC 2221)

DOCUMENT                      DELETE  
QAP 12266671              MIL-STD-105 AQLS

REPLACE WITH  
MIL-STD-1916 VL for MAJOR &  
MIL-STD-1916 VL II for MINOR  
Characteristics

DOCUMENTS; 12266574      ADD DISTRIBUTION STATEMENT      "A".  
12266671              "                                      "                                      "  
12266672              "                                      "                                      "

GFM/GFE: DRAWING NO.

Attachment 001

## DOCUMENT SUMMARY LIST

---

Item: CIRCUIT CARD ASSEMBLY  
NSN: 5998-01-057-9039  
Control Number/PRON: M1192487

---

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### DOCUMENT CATEGORY:

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring Requirements	Document Title	Document Date/ Document Category
1. ANSI/ISO/ASQC Q9002	Model for Quality Assurance in Production, Installation & Servicing OR	18 Jul 94
ANSI/ISO/ASQC Q9001-2000	American National Standard Quality management systems- Requirements	13 Dec 00

---

# SPECIAL PACKAGING INSTRUCTION

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, Va 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project(0704-0188). Washington, DC 20503. Please do not return your form to either of these addresses.

1. PART OR DRAWING NO. 12266671 PRINTED WIRING BOARD ASSEMBLY SOLENOID DRIVER		2. CODE INDENT 19207		3. SPI NO. (AM) P12266671	
4. NATIONAL STOCK NO. 5998-01-057-9039		5. DATE OF DRAWING/SPI(YMMDD) 01-08-09		6. REVISION / ERR NO. -H1K2006	
7. QUP / UNIT OF ISSUE 1/EA	8. ICQ	9. UNIT T. (LB) (0.0) 1.0	10. UNIT PACK CU (CU. FT.)(0.000) 0.005	11. UNIT PACK SIZE (INCHES)(00.0) 3.5 X 3.0 X1.0	
			18. STEPS 1	19. REQD	20. DESCRIPTION DWG.9370051, SEE NOTE (A)
12. MILITARY PRESERVATION MIL-STD-2073-1C, METHOD 41					
13. CLEANING *					
14. DRYING *					
15. PACKING					
a. LEVEL A MIL-STD-2073-1, TABLE C II.					
b. LEVEL B MIL-STD-2073-1, TABLE C II.					
16. MARKING SEE NOTE (A)					

## 17. NOTES/DRAWING

\* UNLESS OTHERWISE SPECIFIED, CLEANING AND DRYING SHALL BE IN ACCORDANCE WITH PARAGRAPH 5.2.1 OF MIL-STD-2073-1. WEIGHTS AND SIZES ARE ESTIMATED AND MAY VARY SLIGHTLY. INTERMEDIATE PACKAGING AND PACKING WILL BE IN ACCORDANCE WITH SPECIFICATION MIL-STD-2073-1 OR AS OTHERWISE SPECIFIED HEREIN.

(A) ALL LEVELS OF PRESERVATION, PACKAGING, PACKING AND MARKING, SHALL BE IN ACCORDANCE WITH DRAWING 9370051.

WSC: MV ITEM SIZE: 2.0 X 1.49 X 0.50 ITEM WEIGHT: .50

APPROVED: James F. Zoll

STATEMENT A, UNLIMITED